

# INDEX MAPS.

## T. 8N, R. 12E. 2<sup>nd</sup> Mer.

	413-416	413-415	413-415	414-415	414-415	414						
418	6	436	5	436	4	434	3	433	2	432	1	413
	<del>436</del>	<del>435</del>	<del>435</del>	<del>433</del>	<del>432</del>	<del>431</del>						
418	7	435	8	434	9	433	10	432	11	431	12	412
	<del>430</del>	<del>430-435</del>	<del>430-434</del>	<del>430-433</del>	<del>431-432</del>	<del>431</del>						
417	18	430	17	428	16	427	15	426	14	425	13	412
	<del>429</del>	<del>429</del>	<del>428</del>	<del>427</del>	<del>426</del>	<del>425</del>						
417	19	429	20	428	21	427	22	426	23	425	24	412
	<del>423</del>	<del>424-429</del>	<del>424-428</del>	<del>424-427</del>	<del>424-426</del>	<del>424</del>						
416	30	423	29	422	28	421	27	420	26	419	25	412
	<del>423</del>	<del>423</del>	<del>422</del>	<del>421</del>	<del>420</del>	<del>419</del>						
416	31	422	32	421	33	420	34	420	35	419	36	411
	409-411	409-411	409-411	409-410	409-410	410						

## T. 9N, R. 12E. 2<sup>nd</sup> Mer.

	444-446	444-446	444-446	444-445	444-445	445						
448	6	465	5	464	4	463	3	462	2	461	1	443
	<del>465</del>	<del>465</del>	<del>464</del>	<del>463</del>	<del>462</del>	<del>461</del>						
448	7	465	8	464	9	463	10	462	11	461	12	443
	<del>460</del>	<del>460-465</del>	<del>460-464</del>	<del>460-463</del>	<del>460-462</del>	<del>460-461</del>	<del>460</del>					
448	18	459	17	458	16	457	15	456	14	455	13	443
	<del>459</del>	<del>459</del>	<del>458</del>	<del>457</del>	<del>456</del>	<del>455</del>						
447	19	459	20	458	21	456	22	455	23	454	24	442
	<del>453</del>	<del>453-458</del>	<del>454-457</del>	<del>454-456</del>	<del>454-455</del>	<del>454</del>						
447	30	453	29	452	28	451	27	450	26	449	25	442
	<del>453</del>	<del>453</del>	<del>452</del>	<del>451</del>	<del>450</del>	<del>449</del>						
446	31	452	32	451	33	451	34	451	35	449	36	442
	439-441	439-441	439-441	439-440	439-440	439-440	440					

The figures on the lines refer to the page.

439

Township N. 9 North, Range N. 12 East 2.<sup>nd</sup> Mer. Indiana

Ch. 1<sup>st</sup>

South Boundary, Random line

East On S. boundary of Sec. 31, T. 9 N. R. 12 E.

11.00 a watercourse 4 lks. wide runs S.W.

11.60 a Brook 12 " " " S.

40.00 Set temp. q. Sec. post

64.50 a watercourse 4 lks. wide runs S.

80.00 Set temp. Cor. to Sec. 31 & 32

Land broken, timber Beech, Oak, Poplar, Sugar,  
Hickory, Ash, Gum &c.

East On S. boundary of Sec. 32

8.90 a watercourse 6 lks. wide runs S.W.

40.00 Set temp. q. Sec. post

50.90 a watercourse 10 lks. wide runs S.W.

80.00 Set temp. Corner to Sec. 32 & 33

Land level, timber Beech, Oak, Hickory, Ash,  
Poplar, Sugar &c.

East On S. boundary of Sec. 33

40.00 Set temp. q. Sec. post

65.60 a Brook 30 lks. wide at a bend runs N. Course  
up it South 80° East

80.00 Set temp. Cor. to Sec. 33 & 34

Land waving, timber Beech, Oak, Sugar, Hickory,  
Poplar, Gum &c.

East On S. boundary of Sec. 34

40.00 Set temp. q. Sec. post

46.00 a watercourse 8 lks. wide runs S. E.

67.00 a Brook 20 lks. " " S.W.

77.30 a watercourse 4 lks. " " N.W.

80.00 Set temp. Cor. to Sec. 34 & 35. Land waving  
timber Oak, Beech, Sugar, Hickory &c.

East On S. boundary of Sec. 35

30.20 a watercourse 4 lks. wide runs N.

# T9N R12 E. 2<sup>nd</sup> Mer. Indiana

Ch. lks.

- 36.30 a watercourse 5 lks. wide run N.W.  
 40.00 Set temp. q. Sec. post  
 71.70 a watercourse 4 lks. wide run N.W.  
 80.00 Set temp. Cor. to Sec. 35 of 36. Land waving  
 timber Beech, Oak, Hickory, Poplar, Ash &c.

East On S. boundary of Sec. 36

- 39.00 a watercourse 5 lks. wide run N.W.  
 40.00 Set temp. q. Sec. post  
 58.64 Intersected E. boundary 300 lks. N. of town Corner  
 Land level, timber Beech, Oak, Hick. Sugar, Ash &c.  
 January 16<sup>th</sup> 1807

## Corrected Line

West On S. boundary of Sec. 36, T9N. R12 E.

- 22.25 a B. Oak 36 in. diam.  
 40.00 Set q. Sec. post, from which  
 a Beech 7 in. diam. bear N 83° W 10 lks. dist. of  
 a B. Oak 36 " " " S 82° E 16 " "  
 80.00 Set post Cor. to Sec. 35 of 36, from which  
 a Beech 13 in. diam. bear N 56° W 23 lks. dist. of  
 a Do. 8 " " " S 66° E 13 " "

West On S. boundary of Sec. 35

- 34.50 a B. Oak 36 in. diam.  
 40.00 Set q. Sec. post, from which  
 a Beech 9 in. diam. bear N 47° W 6 lks. dist. of  
 a Do. 13 " " " S 44° E 24 " "  
 72.50 a B. Walnut 22 in. diam.  
 80.00 Set post Cor. to Sec. 34 of 35, from which  
 a Beech 11 in. diam. bear N 41° W 3 lks. dist. of  
 a Do. 13 " " " S 19° W 17 " "

West On S. boundary of Sec. 34

- 17.90 a Gum 11 in. diam.  
 40.00 Set q. Sec. post, from which

Sq. N. R 12 E. 2.<sup>nd</sup> Mer. Indiana  
Ch. Lk.

a Gum 12 in. diam. bran N 37 W 19 lks. dist. of  
a Beech 14 " " " S 8 E 33 " "  
61.23 a W. Oak 26 " "  
80.00 Set post Cor. to Sec. 33 of 34, from which  
a Beech 16 in. diam. bran S 52 W 9 lks. dist. of  
a Ho. 12 " " " N 61 E 26 " "

West On S. Boundary of Sec. 33

21.70 a W. Oak 34 in. diam.

40.00 Set of Sec. post, from which  
a B. Gum 13 in. diam. bran N 23 W 29 lks. dist. of  
a Beech 9 " " " S 32 E 2 " "

58.90 a Beech 7 " "

79.50 a W. Oak 26 " "

80.00 Set post Cor. to Sec. 32 of 33, from which  
a Beech 9 in. diam. bran N 55 E 10 lks. dist. of  
a Ho. 7 " " " S 57 W 19 " "

West On S. boundary of Sec. 32

34.30 a W. Oak 30 in. diam.

40.00 Set of Sec. post, from which  
a Poplar 18 in. diam. bran S 25 W 19 lks. dist. of  
a Beech 5 " " " N 47 E 14 " "

57.73 a Beech 16 " "

80.00 Set post Cor. to Sec. 31 of 32, from which  
a Beech 9 in. diam. bran N 64 W 7 lks. dist. of  
a Gum 9 " " " S 58 E 44 " "

West On S. boundary of Sec. 31

40.00 Set of Sec. post, from which  
a Beech 14 in. diam. bran N 43 W 15 lks. dist. of  
a Ho. 16 " " " S 62 E 39 " "

58.64 to Township Corner.

January 18<sup>th</sup> 1807

John Brownson, A. S.



T9 N R12 E, 2<sup>nd</sup> Mer. Indiana

ch. lks.

## East Boundary. var. 5.00' E

North On E. boundary of Sec. 36, T9 N R12 E.  
18.63 a Hickory 26 in. diam.

40.00 Set g. sec. post, from which  
a W. Oak 16 in. diam. bear N45 W 31 lks. dist. of  
a do. 30 " " " S71 E 20 " "

51.50 a Poplar 18 " "

80.00 Set post Cor. to Sec. 25 of 36, from which  
a B. Gum 10 in. diam. bear N82 W 32 lks. dist. of  
a Poplar 10 " " " S60 E 3 " "  
Land flat timber Oak, Hickory, Beech, Poplar  
Gum &c.

North On E. boundary of Sec. 25, T9 N R12 E.

25.40 a W. Oak 18 in. diam.

40.00 Set g. sec. post, from which  
a Poplar 22 in. diam. bear S63 W 17 lks. dist. of  
a Gum 9 " " " S81 E 26 " "

56.90 a Brook 18 lks. wide run S. W.

60.54 a Poplar 36 in. diam.

80.00 a B. Oak 16. Cor. to Sec. 24 of 25, from which  
a B. Oak 18 in. diam. bear S35 E 44 lks. dist. of  
Land 1<sup>st</sup> half mile flat - last 1/2 waving, timber  
Oak, Hickory, Gum, Poplar &c.

North On E. boundary of Sec. 24

27.59 a W. Oak 14 in. diam.

40.00 Set g. sec. post, from which  
a W. Oak 18 in. diam. bear S59 W 17 lks. dist. of  
a B. Gum 7 " " " N34 E 26 " "

51.28 a W. Oak 24 " "

61.65 a Brook 15 lks. wide run W

80.00 Set post Cor. to Sec. 13 of 24, from which  
a W. Oak 16 in. diam. bear N33 W 20 lks. dist. of  
a do. 15 " " " S8 W 15 " "  
Land waving, timber Oak, Hickory, Poplar &c.



444

Ch. Ver. T9 N. R12 E. 2<sup>nd</sup> Mer. Indiana  
January 19<sup>th</sup> 1873

North Boundary Random Line.  
East On S. boundary of Sec. 31, T10 N. R12 E.  
22.90 a watercourse 6 lks, wide runs S.  
40.00 Set temp. q. Sec. post  
68.00 a watercourse 4 lks, wide runs S.W.  
80.00 Set temp. Cor. to Sec. 31 & 32  
Land level, timber Oak, Hickory, Beech, Poplar, Gum,  
Sugar tree &c.

East On S. boundary of Sec. 32, T10 N. R12 E.  
38.90 a watercourse 5 lks, wide runs N.  
40.00 Set temp. q. Sec. post  
80.00 Set temp. Cor. to Sec. 32 & 33  
Land timber &c. same as on the last mile

East On S. boundary of Sec. 33, T10 N. R12 E.  
14.25 a watercourse 6 lks, wide runs N.  
29.50 a do. do. 10 " " " N.W.  
40.00 Set temp. q. Sec. post  
74.20 a watercourse 5 lks, wide runs N.  
80.00 Set temp. Cor. to Sec. 33 & 34  
Land waving timber Oak, Beech, Hick.  
Gum, Poplar, Sugar &c.

East On S. boundary of Sec. 34, T10 N. R12 E.  
9.50 a watercourse 6 lks, wide runs N.W.  
40.00 Set temp. q. Sec. post  
62.95 a watercourse 5 lks, wide runs N.W.  
80.00 Set temp. Cor. to Sec. 34 & 35.  
Land level, timber Oak, Beech, Hick. Gum, Maple &c

East On S. boundary of Sec. 35, T10 N. R12 E.  
40.00 Set temp. q. Sec. post  
80.00 Set temp. Cor. to Sec. 35 & 36

445

Q. N. R 12 E. 2<sup>n</sup>. Mer. Indiana  
Ch 2<sup>th</sup> 1/2

Sand timber &c. same as on the last mile

---

East On S. boundary of Sec. 36, T10 N. R12 E.

5.10 a watercourse 10 lks. wide runs N. E.

40.00 Let temp. q. Sec. post

55.22 Intersected the E. boundary 359 lks. N. of  
the Township Corner

Sand timber &c. same as on the last mile

---

Corrected Line.

West On S. boundary of Sec. 36, T10 N. R12 E.

15.20 a B. Oak 18 in. diam.

40.00 Let q. Sec. post, from which

a W. Oak 18 in. diam. bears S43 E 35 lks. dist. of

a B. Oak 20 " " " S75 W 34 " "

55.40 a Beech 22 " "

80.00 Let post Cor. to Secs. 35 & 36, from which

a B. Gum 10 in. diam. bears N15 E 15 lks. dist. of

a W. Oak 30 " " " S57 W 14 " "

---

West On S. boundary of Sec. 35, T10 N. R12 E.

40.00 Let q. Sec. post, from which

a B. Gum 18 in. diam. bears N12 E 26 lks. dist. of

a Beech 8 " " " S51 W 23 " "

55.20 a Beech 11 " "

80.00 Let post Cor. to Secs. 34 & 35, from which

a W. Oak 36 in. diam. bears N81 E 11 lks. dist. of

a Poplar 24 " " " S49 W 17 " "

---

West On S. boundary of Sec. 34, T10 N. R12 E.

0.65 a W. Oak 24 in. diam.

40.00 Let q. Sec. post from which

a Beech 15 in. diam. bears N29 E 24 lks. dist. of

a Do. 10 " " " S31 W 30 " "

42.20 a W. Oak 24 " "

80.00 Let post Cor. to Secs. 33 & 34, from which



446

T9 N R12 E. 2<sup>d</sup>. Mer. Indiana

Ch. lks.

a B. Gum 10 in. diam. bray S86 E 24 lks. dist. of  
a W. Oak 18 " " " S39 N 7 " "

Nest On S. boundary of Sec. 33, T10 N. R12 E.

40.00 Set of Sec. post, from which

a Beech 14 in. diam. bray N77 E 4 lks. dist. of

a B. Gum 16 " " " S27 N 26 " "

54.59 a Beech 15 " " in the line

80.00 Set post Cor. to Sec. 32 & 33, from which

a Beech 18 in. diam. bray S56 E 43 lks. dist. of

a W. Oak 14 " " " S76 N 36 " "

Nest On S. boundary of Sec. 32, T10 N. R12 E.

40.00 Set of Sec. post, from which

a Beech 12 in. diam. bray N68 N. 22 lks. dist. of

a W. Oak 42 " " " S49 E 16 " "

56.00 a Beech 12 " "

80.00 Set post Cor. to Sec. 31 & 32, from which

a W. Oak 20 in. diam. bray N67 N 15 lks. dist. of

a Poplar 14 " " " S57 E 44 " "

Nest On S. boundary of Sec. 31, T10 N. R12 E.

35.00 a Hickory 10 in. diam.

40.00 Set of Sec. post, from which

a Beech 13 in. diam. bray N9 E 3 lks. dist. of

a Hickory 18 " " " S39 N 29 " "

55.22 to Township Corner - Jan. 23. 1877

Nest Boundary.

North On E. boundary of Sec. 36, T9 N. R11 E

7.00 a watercourse 5 lks. dist. of wide run N.

25.35 a B. Gum 15 in. diam.

40.00 Set of Sec. post, from which

a B. Gum 9 in. diam. bray N20 N 32 lks. dist. of

a Beech 12 " " " N10 E 7 " "

45.18 a Poplar 30 " "



T9 N R12 E. 2<sup>nd</sup> Mer. Indiana  
ch. lkr.

- 72.47 a Poplar 42 in. diam.  
80.00 Set post Cor. to Sec. 25 of 36, from which  
a Beech 12 in. diam. bear N19 E 31 lkr. dist. of  
a Hickory 16 " " " S34 W13 " "  
Land waving, timber Beech, Oak, Hickory,  
Poplar, Sugar, Ash &c.

North On E. boundary of Sec. 25, T9 N. R11 E.

- 9.83 a Beech 17 in. diam.  
22.30 a Poplar 34 " "  
40.00 Set q. Sec. post, from which  
an Ash 15 in. diam. bear N85 W10 lkr. dist. of  
a Beech 7 " " " S76 E15 " "  
40.37 a Beech 17 " "  
67.97 a Do 9 " "  
80.00 Set post Cor. to Sec. 24 & 25, from which  
a Sugar 12 in. diam. bear S27 E10 lkr. dist. of  
a Hickory 8 " " " N17 W31 " "  
Land level timber Oak, Beech, Sugar, Poplar,  
Hickory, Ash, &c.

North On E. boundary of Sec. 24, T9 N. R11 E

- 17.69 a Hackberry 11 in. diam.  
22.50 Struck a small bend of a brook 50 lkr. wide  
26.25 Crossed same run S.W.  
40.00 Set q. Sec. post from which  
a Beech 15 in. diam. bear N28 W41 lkr. dist. of  
a Sugar 11 " " " S46 7 " "  
47.10 a water course 6 lkr. wide runs S.W.  
53.50 a Do 5 " " " S.W.  
74.44 a Beech 16 in. diam.  
80.00 Set post Cor. to Sec. 13 of 24, from which  
a Beech 12 in. diam. bear N17 E30 lkr. dist. of  
a W. Oak 48 " " " S20 W40 " "  
Land hilly, timber Beech, Oak, Hickory,  
Poplar, Sugar &c.

T9 N R12 E. 2<sup>d</sup> Mer. Indianach. 1<sup>st</sup> 1/2

North On E. boundary of Sec. 13, T9 N. R11 E.

16.90 a watercourse 10 lks, wide runs S.W.

27.94 a Beech 28 in. diam.

34.60 a watercourse 8 lks, wide runs W.

40.00 At the gr. Sec. post, from which

a Beech 16 in. diam. bears N 31 W 35 lks. dist. of

a No. 10 " " " S 49 E 18 " "

63.34 a Beech 16 " "

77.50 a Branch of Langhory 75 lks, wide runs S.W.

80.00 At post Cor. to Sec. 12 &amp; 13, from which

a Beech 12 in. diam. bears North 5 lks. dist. of

a No. 16 " " " S 20 E 28 " "

Land hilly, timber Beech, Oak, Sugar, Ash, Poplar &amp;c.

North On E. boundary of Sec. 12, T9 N. R11 E.

3.90 a Bayou 30 lks, wide runs S.W.

4.95 a Sugar 22 in. diam.

19.25 Langhory Creek 75 lks, wide runs S.E.

32.32 an Elm 14 in. diam.

38.10 a Brook 25 lks, wide runs S.W.

40.00 At gr. Sec. post, from which

a Buckeye 16 in. diam. bears N 14 W 12 lks. dist. of

a Hickory 15 " " " S 32 E 25 " "

45.00 a Beech 30 " "

76.50 a Brook 40 lks, wide runs S.E.

80.00 At post Cor. to Sec. 1 &amp; 12, from which

a White Oak 44 in. diam. bears N 30 E 24 lks. dist. of

a Sugar 12 " " " S 77 W 22 " "

Land broken, timber Beech, Oak, Hickory, Sugar  
Ash, Poplar &c.

North On E. boundary of Sec. 1, T9 N. R11 E

11.10 a Brook 40 lks, wide runs S.W.

26.15 a B. Gum 18 in. diam.

27.65 Same brook runs E.

31.50 Same brook runs S.W. 30 lks, wide

449

T9 N R12 E. 2<sup>d</sup> Mer. Indiana

Ch. & Lk.

- 32.90 Same brook run E.  
 40.00 Set q. Sec. post, from which  
     a Sycamore 46 in. diam. bear N 61° W 44 lks. dist. of  
     An Ash 36 " " " S 70° E 51 " "  
 42.95 a Hickory 14 " "  
 80.00 Set post Cor. to Township N. 9, 10 North, of  
     Range 11 of 12 East, from which  
     a Poplar 42 in. diam. bear N 12° W 47 lks. dist. of  
     a Sugar 26 " " " S 26° E 35 " "  
     Land broken, timber Beech, Oak, Poplar, Hickory  
     Sugar, Ash &c. Jan. 19<sup>th</sup> 1887

John Brownson,  
Deputy Surveyor

Subdivision.

- North Between Sec. 35 & 36  
 40.00 Set q. Sec. post, from which  
     a Beech 14 in. diam. stands for the q. Sec. post  
 80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which  
     a Beech 18 in. diam. bear S 10° E 18 lks. dist. of  
     a Do. 4 " " " N 75° W 30 " "  
     This mile level 3<sup>d</sup> rate land, Beech, Poplar, Gum &c.  
     Soil Cold good meadow land

East On Rand. between Sec. 25 & 36

- 40.00 Set temp. q. Sec. post  
 80.00 Intersected the E. boundary 22 lks. S. of post  
     Land timber &c. same as on the last mile

West Corrected between Sec. 25 & 36

- 40.00 Set q. Sec. post at average dist. from which  
     a W. Oak 9 in. diam. bear N 20° W 16 lks. dist. of  
     a B. Oak 24 " " " N 70° E 18 " "  
 80.00 to the Sec. Corner.

North Between Sec. 25 & 26, T9 N. R12 E.

Tg. N. R12 E. 2.<sup>nd</sup> Mer. Indiana

ch. lks.

20.00 a watercourse 12 lks. wide running N.

40.00 Set g. sec. post, from which  
at Beech 10 in. diam. bearing S50°W 7 lks. dist. of  
a No. 12 " " " S20°E 30 " "80.00 Set post Cor. to Secs. 23, 24, 25 & 26, from which  
at Beech 10 in. diam. bearing S15°W 10 lks. dist. of  
a No. 20 " " " N10°E 4 " "  
Land level 3<sup>rd</sup> rate, timber Beech, Maple, Gum &c.

North Between Secs. 34 &amp; 35, Tg. N. R12 E.

40.00 Set g. sec. post, from which  
a W. Oak 40 in. diam. bearing N80°E 20 lks. dist. of  
a Beech 7 " " " N20°W 10 " "80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which  
at Beech 12 in. diam. bearing N84°W 12 lks. dist. of  
a Hickory 14 " " " S66°E 14 " "  
This mile broken 3<sup>rd</sup> rate land timber Beech, Oak & Hickory.

East On Rand. m. between Secs. 26 &amp; 35

40.00 Set temporary g. sec. post

80.00 Intersected the N & S. line at the post  
This mile level 2<sup>nd</sup> rate, timber Beech, Poplar &c

West Corrected between Secs. 26 &amp; 35

40.00 a stream 12 lks. wide running S.W., set g. sec. post from wh.  
at Beech 14 in. diam. bearing South 2 lks. dist. of  
a B. Oak 14 " " " North 9 " "

80.00 to Sec. Corner.

North Between Secs. 26 &amp; 27, Tg. N. R12

40.00 Set g. sec. post, from which  
a Beech 12 in. diam. bearing N20°E 14 lks. dist. of  
a No. 8 " " " S20°W 18 " "80.00 Set post Cor. to Secs. 22, 26, 23 & 27, from which  
at Beech 16 in. diam. bearing N11°W 21 lks. dist. of  
a Gum 8 " " " East 14 " "



Ty N R12 E. 2<sup>nd</sup>. Mer. Indiana

Ch. 1/2 hr.

Land level 3<sup>rd</sup> rate Beech, Oak, Gum &c.

North Between Sec. 33 & 34, Ty N. R12 E.

27.50 a stream 40 lks, wide runs N.W.

40.00 Set of. Sec. post, from which  
a Beech 12 in. diam. bears S40 E 14 lks. dist. of  
a W. Oak 16 " " " N60 W 22 " "

70.00 a watercourse 6 lks, wide runs S.W.

80.00 a Beech 12 in. diam. stands for Cor. to Section  
27, 28, 33 & 34. This mile broken 3<sup>rd</sup> rate land  
timber Beech, Poplar, Sugar, Gum &c. Soil rich

East On Range between Sec. 27 & 34

40.00 Set temp. of. Sec. post

80.00 Intersected the N of S line 50 lks. S. of post  
Land timber &c. Same as on the last mile

West Corrected between Sec. 27 & 34

40.00 Set of. Sec. post at average dist. from which  
a Beech 16 in. diam. bears N30 E 8 lks. dist. of  
a Do. 14 " " " S40 W 24 " "

80.00 Section Corner.

North Between Sec. 27 & 28, Ty N. R12 E.

32.50 a watercourse 6 lks, wide runs W.

37.00 a Do. 6 " " " S.W.

40.00 Set of. Sec. post, from which  
a W. Oak 10 in. diam. bears N40 W 12 lks. dist. of  
a Beech 16 " " " S30 E 6 " "

78.00 a watercourse 10 lks, wide runs S.W.

80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which  
a Beech 12 in. diam. bears N30 E 13 lks. dist. of  
a Red Oak 16 " " " N15 W 31 " "

Land timber &c. Same as on the last mile

North Between Sec. 32 & 33, Ty N. R12 E.



T9 N. R12 E. 2<sup>d</sup> Mer. Indiana

ch. lks.

40.00 Set q. sec. post, from which  
an Elm 10 in. diam. bears N12 E 9 lks. dist. of  
a Beech 9 " " " West 30 " "

80.00 Set post Cor. to Sec. 28, 29, 32 & 33

(The bearing trees, and description of land &c omitted)

East On Rand<sup>m</sup>. between Sec. 28 & 33

40.00 Set temp<sup>y</sup>. q. sec. post

80.00 Intersected the N & S. 20 lks. N. of post  
This mile broken 3<sup>d</sup> rate, Beech, Oak &c.

West Connected between Sec. 28 & 33

30.00 a stream 50 lks. wide runs N.

40.00 Set q. sec. post at average dist. from which  
a B. Oak 15 in. diam. bears S65 W 2 lks. dist. of  
a W. Oak 4 " " " S65 E 2 " "

80.00 to Sec. Corner

North Between Sec. 28 & 29, T9 N. R12 E.

40.00 Set q. sec. post, from which  
a Sugar 7 in. diam. bears N18 E 9 lks. dist. of  
a Do. 14 " " " S18 W 14 " "

50.34 a Beech 28 " " in the line

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which  
a W. Oak 15 in. diam. bears N59 W 6 lks. dist. of  
a B. Oak 12 " " " East 14 " "  
Land level, timber Beech, Oak &c.

North Between Sec. 31 & 32, T9 N. R12 E.

40.00 Set q. sec. post, from which  
a Beech 8 in. diam. bears N75 E 10 lks. dist. of  
a W. Ash 24 " " " S40 W 22 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which  
a Beech 8 in. diam. bears N42 W 15 lks. dist. of  
a Do. 10 " " " S60 W 33 " "  
Land level 3<sup>d</sup> rate, Beech, Oak &c.

Tgt. R 12 E. 2<sup>d</sup> Mer. IndianaCh. 1<sup>st</sup> hr.East On Rand<sup>m</sup> between Sec. 29 & 3240.00 Set temp<sup>y</sup>. g. Sec. post79.70 Intersected the N & S. 20 hrs. S. of the Corner  
This mile level 3<sup>d</sup> rate, Beech, Oak &c.

West Corrected between Sec. 29 &amp; 32

39.85 Set g. Sec. post at average dist. from which  
a W. Oak 40 in. diam. bears S 80 E 21 hrs. dist. of  
at Beech 14 " " " N 28 W 12 " "

79.70 to Sec. Corner

West Between Sec. 30 &amp; 31, Tgt. N. R 12

40.00 a Beech 36 in. diam. stands for g. Sec. post

57.50 Intersected the W. boundary 25 hrs. N. of post  
Set post Cor. to Sec. 30 & 31, from which  
a Beech 28 in. diam. bears S 63 E 28 hrs. dist. of  
a Do. 4 " " " N 30 W 11 " "  
This mile level 3<sup>d</sup> rate, Beech, Poplar &c.

North Between Sec. 29 &amp; 30

40.00 Set g. Sec. post, from which

a Beech 7 in. diam. bears N 5 E 45 hrs. dist. of  
a Do. 8 " " " South 14 " "

78.00 to Langhury Creek runs W.

80.00 an Ironwood 6 in. diam. stands for the Cor. to  
Sec. 19, 20, 29 & 30 [Gum &c.]This mile hilly 3<sup>d</sup> rate B. Oak, Beech, Poplar,

West Between Sec. 19 &amp; 30, Tgt. N. R 12 E.

40.00 a Beech 8 in. diam. stands for g. Sec. Corner

45.00 Langhury Creek 150 hrs. wide runs S.

58.00 Intersected W. boundary at the post

This mile broken 3<sup>d</sup> rate, Beech, Poplar, Gum & Sugar.East On Rand<sup>m</sup> between Sec. 20 & 2940.00 Set temp<sup>y</sup>. g. Sec. post

454

Tq. N. R 12 E. 2<sup>nd</sup> Mer. Indiana

ch. lks.

80.00 Intersected the N & S. line 29 lks. S. of post  
This mile broken 3<sup>rd</sup> rate, Beech, Oak &c.

East On Rand<sup>m</sup>. between Sec. 21 & 2840.00 Set temp<sup>y</sup>. q. Sec. post

80.00 Intersected the N & S. line 33 lks. N. of post  
This mile level land, timber Beech, Oak &c

East On Rand<sup>m</sup>. between Sec. 22 & 2740.00 Set temp<sup>y</sup>. q. Sec. post

80.00 Intersected the N & S. line 30 lks. N. of post  
Land level, timber Beech, Oak, Maple &c.

East On Rand<sup>m</sup>. between Sec. 23 & 2640.00 Set temp<sup>y</sup>. q. Sec. post

80.00 Intersected the N & S. line 26 lks. S. of post  
Land level 3<sup>rd</sup> rate, Beech, Poplar &c.

East On Rand<sup>m</sup>. between Sec. 24 & 2540.00 Set temp<sup>y</sup>. q. Sec. post

80.25 Intersected the E. boundary 50 lks. S. of post  
Land level 2<sup>nd</sup> rate, Beech, Oak &c.

West Corrected between Sec. 24 &amp; 25

40.12 1/2 Set q. Sec. post at average dist. from which  
a W. Oak 24 in. diam. bear S 70 W 21 lks. dist. of  
a Dogwood 3 " " " East 21 " "

50.00 a watercourse 12 lks. wide runs S. W.

80.25 to Sec. Corner.

North Between Sec. 23 &amp; 24

40.00 Set q. Sec. post, from which

a W. Oak 40 in. diam. bear S 30 E 11 lks. dist. of  
a Maple — " " " West 10 " "

80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which  
a W. Oak 14 in. diam. bear S 30 E 8 lks. dist. of

# *S. N. 12 E. 2<sup>nd</sup> Mer. Indiana* *ch. 11.*

a W. Oak 8 in. diam. bran N 70 W 11 lks. dist  
 This mile level, Oak, Beech &c Soil Cold.

East On Rand<sup>m</sup>. between Sec. 13 & 24

40.00 Set tempy. g. Sec. post

80.50 Intersected the E. boundary at the post  
 This mile level 3<sup>rd</sup> rate, Beech, Oak &c much brush

West Corrected between Sec. 13 & 24

40.25 Set g. Sec. post at average dist. from which  
 a W. Oak 8 in. diam. stands for g. Sec. post

80.50 to Sec. Corner.

North Between Sec. 13 & 14

40.00 Set g. Sec. post, from which  
 a W. Ash 5 in. diam. bran S 78 E 10 lks. dist. of  
 a Gum 4 " " " S 69 W 22 " "

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which  
 a W. Ash 8 in. diam. bran N 30 W 6 lks. dist. of  
 a Beech 3 " " " S 40 E 12 " "

This mile level 3<sup>rd</sup> rate land, timber Oak, Beech  
 Hickory, Gum &c open wood Soil Cold

West Corrected between Sec. 23 & 26

40.00 Set tempy. g. Set post at average dist. from which  
 a Beech 12 in. diam. bran S 17 W 8 lks. dist. of  
 a Do. 11 " " " N 20 W 16 " "

60.28 a Beech 14 " " in the line

80.00 to Sec. Corner

North Between Sec. 22 & 23

40.00 Set g. Sec. post, from which  
 a Poplar 8 in. diam. bran West 13 lks. dist. of  
 a Dogwood 5 " " " S 36 E 13 " "

80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which  
 a W. Oak 16 in. diam. bran S 30 W 14 lks. dist. of



ch. lks. T9 N R12 E. 2<sup>nd</sup> Mer. Indiana

at B. Oak 40 in. diam. bear N14E14 lks. dist. of  
This mile broken 3<sup>rd</sup> rate, Oak, Hickory &c.

East On Rand<sup>m</sup>. between Sec. 14 of 23

40.00 Set temp<sup>y</sup>. g. sec. post

80.00 Intersected the N of S line 30 lks. S. of post  
Land level 2<sup>nd</sup> rate timber Oak, Beech &c.

West Corrected between Sec. 14 of 23

19.28 a W. Oak 24 in. diam. in the line

40.00 Set g. sec. post at average dist. on the true line from  
which a W. Oak 10 in. diam. bear S30W7 lks. dist. of  
a W. Oak 14 " " " N60W18 " "

80.00 to Sec. Corner.

North Between Sec. 14 of 15, T9 N R12 E.

1.00 a stream 10 lks. wide runs S.W.

40.00 Set g. sec. post, from which  
a W. Oak 16 in. diam. bear East 25 lks. dist. of  
a Hickory 15 " " " N69W24 " "

80.00 Set post Cor. to Sec. 10, 11, 14 of 15, from which  
a Beech 18 in. diam. bear N60W35 lks. dist. of  
a Do. 6 " " " S50E26 " "  
This mile level Oak, Hickory, Gum & dogwood

West Corrected between Sec. 22 of 27

40.00 Set g. sec. post at average dist. from which  
a Beech 14 in. diam. bear S17W11 lks. dist. of  
a Gum 11 " " " West 18 " "

80.00 to Sec. Corner.

North Between Sec. 21 of 22, T9 N R12 E.

28.00 a stream 12 lks. wide runs W.

40.00 Set g. sec. post, from which  
a Red Oak 14 in. diam. bear West 38 lks. dist. of  
a W. Oak 18 " " " N60E10 " "

Comp. R.



T9 N R12 E. 2<sup>nd</sup> Mer. Indiana

457

Ch. 1/4.

80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which  
a Beech 14 in. diam. bear N13W 8 lks. dist. of  
a Gum 16 " " " East 25 " "  
Land broken 3<sup>rd</sup> rate, Beech, Oak, Hickory Gum &c.  
Open woods

East On Rand<sup>m</sup>. between Sec. 15 & 22

40.00 Set temp<sup>l</sup> of Sec. post

80.25 Intersected the N & S. line 20 lks. S. of post  
Land timber &c. Same as on the last mile

West Corrected between Sec. 15 & 22

40.12 1/2 Set of Sec. post at average dist. from which  
a Beech 10 in. diam. bear N30E 7 lks. dist. of  
a Do. — " " " S5W 21 " "

80.25 to Sec. Corner.

North Between Sec. 15 & 16, T9 N. R12 E

6.00 a small watercourse 6 lks. wide runs W.

40.00 Set of Sec. post, from which  
a W. Oak 18 in. diam. bear N8E 14 lks. dist. of  
a Do. 12 " " " South 8 " "

57.50 a watercourse 6 lks. wide runs W.

68.00 a Do. 6 " " " S.W.

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which  
a W. Oak 10 in. diam. bear N20E 8 lks. dist. of  
a Dogwood 3 " " " West 7 " "  
Land broken 3<sup>rd</sup> rate, timber Oak, Beech, Dogwood &c.

West Corrected between Sec. 21 & 28

40.00 Set of Sec. post at average dist. from which  
a Beech 12 in. diam. bear N29W 13 lks. dist. of  
a Do. 16 " " " S16E 4 " "

51.00 Sanghory runs North (Hopley Cr.)

80.00 to Sec. Corner.

T9 N. R12 E. 2<sup>d</sup> Mer. Indiana

Ch. lks.

North Between Sec. 20 &amp; 21, T9 N. R12 E.

18.50 a stream 50 lks. wide runs W.

35.00 a watercourse 6 " " " S.E.

40.00 Set of. Sec. post, from which

a Gum 14 in. diam. beam East 12 lks. dist. of

a Beech 8 " " " S30°W17 " "

80.00 Set post Cor. to Sec. 16, 17, 20 &amp; 21, from which

a Poplar 8 in. diam. beam S78°E16 lks. dist. of

a Beech 16 " " " West 5 " "

Land level 3<sup>d</sup> rate, timber Beech, Oak, Poplar, Gum &cEast On Rand<sup>m</sup>. between Sec. 16 & 2140.00 Set temp<sup>y</sup>. of. Sec. post79.30 Intersected the N & S line 8 lks. S. of the post  
Land broken, timber Oak, Beech &c.

West Corrected between Sec. 16 &amp; 21

39.65 Set of. Sec. post at average dist. from which

a Beech 4 in. diam. beam North — lks. dist. of

a do. 4 " " " South 4 " "

71.25 a stream 20 lks. wide runs S.

79.30 to Sec. Corner

North Between Sec. 16 &amp; 17, T9 N. R12 E

0.50 a watercourse 6 lks. wide runs S.E.

39.00 a stream 10 lks. wide runs S.E.

40.00 Set of. Sec. post, from which

a Beech 12 in. diam. beam S80°E8 lks. dist. of

a Hickory 15 " " " West 26 " "

80.00 Set post Cor. to Sec. 8, 9, 16 &amp; 17, from which

a Hickory 16 in. diam. beam S78°E21 lks. dist. of

a Beech 6 " " " N40°W27 " "

Land broken 3<sup>d</sup> rate, timber Beech, Oak, Gum &c.

West Corrected between Sec. 20 &amp; 29

22.50 Langhory Creek 75 lks. wide runs S. (Ripley Cr.)

Tg N. R 12 E. 2<sup>d</sup>. Mer. IndianaCh. 1<sup>st</sup> 1/2.

40.00 Set g. sec. post at average dist. from which  
 a Beech 12 in. diam. bear S 69° W 11 1/2 k. dist. of  
 a Do. 10 " " " N 6 E 14 " "

80.00 to post Cor. to Sec. 19, 20, 29 & 30

## North Between Sec. 19 &amp; 20

40.00 Set g. sec. post from which  
 a Beech 9 in. diam. bear N 26° W 26 k. dist. of  
 a Do. 7 " " " S 12 E 14 " "

80.00 Set post Cor. to Sec. 17, 18, 19 & 20 from which  
 a Gum 15 in. diam. bear S 64° W 14 k. dist. of  
 a W. Oak 60 " " " N 68 E 12 " "  
 Land level 3<sup>d</sup> rate, timber Beech, Oak &c.

East On Rand<sup>m</sup> between Sec. 17 & 20

40.00 Set temp. g. sec. post

80.00 Intersected the N & S line 7 k. S. of post  
 Land broken 3<sup>d</sup> rate, timber Beech, Oak &c.

## West Cor. to Sec. 17 &amp; 20

40.00 Set g. sec. post at average dist. from which  
 a Beech 10 in. diam. bear N 60 E 26 k. dist. of  
 a Gum 12 " " " S 70 W 36 " "

80.00 to Sec. Corner.

## West Between Sec. 18 &amp; 19

40.00 Set g. sec. post, from which  
 a W. Oak 48 in. diam. bear South 5 k. dist. of  
 a Hickory 5 " " " North 3 " "

57.50 Intersected the W. boundary at the post  
 This (mild) hilly 3<sup>d</sup> rate, Beech, Oak, Poplar, Gum &c.

## North Between Sec. 17 &amp; 18, Tg N. R 12 E.

40.00 a Dogwood 3 in. diam. stand for g. sec. post

80.00 a W. Oak 10 in. diam. stand for Cor. to Sec. 7, 8,  
 17 & 18. Land broken 3<sup>d</sup> rate, Beech, Oak, Gum &c.

Tg N. R 12 E. 2.<sup>nd</sup> Mer. Indiana

Ch. Lk.  
West Between Sec. 7 & 18, Tg N. R 12 E.  
40.00 Set qf. Sec. post, from which  
a Poplar 18 in. diam. bear N 70 W Lk. dist. of  
a Beech 10 " " " N 28 W 10 " "  
45.00 a stream 100 Lk. wide run S. W.  
56.29 Intersected W. boundary at the post  
Land broken, timber Beech, Oak &c.

East On Rand<sup>m</sup>. between Sec. 8 & 17  
40.00 Set temp. qf. Sec. post  
80.00 Intersected the N & S. line 57 Lk. S. of the post  
Land broken 3.<sup>rd</sup> rate, timber Beech, Oak, Gum & Sugar

East On Rand<sup>m</sup>. between Sec. 9 & 16  
40.00 Set temp. qf. Sec. post  
79.25 Intersected the N & S. line at the post  
Land level 3.<sup>rd</sup> rate, Beech & Oak, some Gum & Poplar

East On Rand<sup>m</sup>. between Sec. 10 & 15  
40.00 Set temp. qf. Sec. post  
80.10 Intersected the N & S. line at the post  
Land level 3.<sup>rd</sup> rate, timber Beech, Oak &c

East On Rand<sup>m</sup>. between Sec. 11 & 14  
40.00 Set temp. qf. Sec. post  
79.00 Intersected the N & S. line 50 Lk. S. of the post  
Land some broken 3.<sup>rd</sup> rate, Beech, Oak, Gum &c.

East On Rand<sup>m</sup>. between Sec. 12 & 13  
38.00 a watercourse 10 Lk. wide run S.  
40.00 Set temp. qf. Sec. post  
81.00 Intersected the E. boundary 250 Lk. S. of post  
Land level 3.<sup>rd</sup> rate, timber Oak, Beech, Hickory

West Connected between Sec. 12 & 13  
40.50 Set qf. Sec. post at average dist. from which



461

Sgt. R. E. D. Mer. Indiana

Ch. 1/2

a W. Oak 60 in. diam. bear N 57° 24' E. dist. 8  
 a Hickory 8 " " " S 67° E 21 " "  
 42.00 a watercourse 10 lks. wide run S.  
 81.00 to Sec. Corner

North Between Sec. 1 & 12, Sgt. R. E. D.

0.50 a W. Oak 18 in. diam. in the line  
 40.00 Set of Sec. post, from which  
 a Beech 4 in. diam. bear S 38° E 13 lks. dist. of  
 a W. Oak 24 " " " South 13 " "  
 80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which  
 a Gum 14 in. diam. bear N 69° W 22 lks. dist. of  
 a Beech 12 " " " N 70° E 21 " "  
 Land level 3<sup>rd</sup> rate, Beech, Oak, Hickory, Gum etc.

East On Range between Sec. 1 & 12

40.00 Set temp. of Sec. post  
 81.40 Intersected the E. boundary 156 lks. S. of post  
 Land timber etc. same as on the last mile

West Corrected between Sec. 1 & 12

40.70 Set of Sec. post at average dist. from which  
 a Hickory 5 in. diam. bear N 69° E 4 lks. dist. of  
 a W. Oak 40 " " " S 36° E 15 " "  
 81.40 to Sec. Corner.

North Between Sec. 1 & 2, Sgt. R. E. D.

40.00 a Beech 12 in. diam. stand  
 for the quarter Sec. post  
 83.05 Intersected the N. boundary at the post  
 This mile level 3<sup>rd</sup> rate, Beech, Oak, Hickory, Gum,  
 & Poplar, Soil Cold - good meadow ground

West Corrected between Sec. 11 & 14

39.50 Set of Sec. post at average dist. from which  
 an Elm 36 in. diam. bear N 30° E 35 lks. dist. of



Tg N. R 12 E. 2<sup>nd</sup> Mer. Indiana

ch. lks.

50.00 a Hickory 12 in. diam. bearing S 20° W 14 lks. dist.  
 79.00 a watercourse 10 lks. wide run S.  
 to Sec. Corner.

North Between Sec. 10 &amp; 11

40.00 Set of Sec. post, from which  
 a Beech 10 in. diam. bearing N 40° W 15 lks. dist. of  
 a Gum 10 " " " S 50° E 24 " "

80.00 a Sugar 5 in. diam. stands for the corner of  
 sections 2, 3, 10 & 11

Land level Cold Soil, Beech, Oak, Hickory, Gum &c

East On Range between Sec. 2 &amp; 11

40.00 Set temp. of Sec. post

79.50 Intersected the N & S line 50 lks. S. of the post  
 Land level 3<sup>rd</sup> rate, Beech, W. Oak, Hickory, Gum  
 Soil Cold - good (Meadow land)

West Corrected between Sec. 2 &amp; 11

39.75 Set of Sec. post at average dist. from which  
 a Hickory 15 in. diam. bearing S 40° W 29 lks. dist. of  
 a Beech 12 " " " N 18° W 13 " "

79.50 to Sec. Corner

North Between Sec. 2 &amp; 3, Tg N. R 12 E.

40.00 a Gum 24 in. diam. stands for the  
 Quarter Section Corner

64.00 a Beech 14 in. diam. in the line

82.41 Intersected the N. boundary 87 lks. E. of the post

Set a post Cor. to Sec. 2 & 3, from which

a Beech 12 in. diam. bearing N 60° W 23 lks. dist. of  
 a Do. 10 " " " S 20° E 18 " "

Land level 3<sup>rd</sup> rate, timber Beech, Oak &c.

West Corrected between Sec. 10 &amp; 15

40.05 Set of Sec. post at average dist. from which

*T9 N. R12 E. 2<sup>nd</sup> Mer. Indiana*  
*ch. lks.*

a Beech 12 mi. diam. bear S 52 E 31 lks. dist. of  
 a R. Oak 16 " " " N 25 W 19 " "  
 80.10 to Section Corner.

*North Between Sec. 9 of 10, T9 N. R12 E*

36.00 a watercourse 6 lks. wide run S. W.

40.00 a Hickory 15 mi. diam. stands for the  
 quarter Sec. Corner

51.50 a watercourse 8 lks. wide run W.

80.00 Set post Cor. to Sec. 3, 4, 9 of 10, from which  
 a Beech 15 mi. diam. bear East 9 lks. dist. of  
 a W. Oak 36 " " " N 50 W 42 " "  
 This Mile broken 3<sup>rd</sup> rate, timber Oak, Beech, Gum  
 &c. Open woods.

*East On Randm. between Sec. 3 of 10*

4.50 a watercourse 6 lks. wide run S. W.

40.00 Set temp. q. Sec. post

81.29 Intersected the N. of S. line 300 lks. S. of the post  
 Land level 2<sup>nd</sup> rate, Beech, W. Oak, Poplar, Hickory  
 Gum &c. Open woods, heavy timber

*West Corrected between Sec. 3 of 10*

40.64 Set q. Sec. post at average dist. from which  
 a Dogwood 4 mi. diam. bear N 31 W 21 lks. dist. of  
 a Hickory 8 " " " S 28 W 24 " "

81.29 to Sec. Corner.

*North Between Sec. 3 of 4, T9 N. R12 E.*

40.00 Set q. Sec. post, from which

a Beech 16 mi. diam. bear ~~S 52 E~~ N 87 E 18 lks. dist. of  
 a Hickory 16 " " " S 30 W 30 " "

84.91 Intersected the N. boundary at the post  
 Land level 3<sup>rd</sup> rate, timber, Beech, Oak,  
 Gum & Hickory

T9 N - R12 E, 2<sup>nd</sup> Mer. Indiana

ch. 1/4 Sec.

West Corner between Sec. 9 & 16, T9 N. R12 E.  
39.62 a Logwood 4 in. diam. stands at the average  
dist on true line for q. Sec. Cor.  
79.25 to Sec. Corner.

North Between Sec. 8 & 9, T9 N. R12 E.

13.00 a small watercourse 6 lks. wide runs S.E.  
40.00 Let q. Sec. post, from which  
a Beech 10 in. diam. bears N50 E 21 lks. dist. of  
a Hickory 22 " " " Nest 22 " "  
On the bank of a watercourse 4 lks. wide runs S.E.  
80.00 Let post Corner to Sec. 4, 5, 8 & 9, from which  
a W. Oak 16 in. diam. bears S30 W 4 lks. dist. of  
a Hickory 9 " " " N28 E 15 " "  
Land broken 3<sup>rd</sup> rate, Beech, Oak, Gum.

East On Rand<sup>m</sup>. between Sec. 4 & 9

40.00 Let temp. q. Sec. post  
80.00 Intersected the N & S. line 28 lks. S. of post  
Land rolling 3<sup>rd</sup> rate, Beech, Oak, Gum, Logw.  
Open woods

West Corner between Sec. 4 & 9

6.50 a watercourse 6 lks. wide runs S.W.  
40.00 Let q. Sec. post at average dist. from which  
a Beech 10 in. diam. bears S50 N 20 lks. dist. of  
a Do. 15 " " " N20 N 21 " "  
80.00 to Sec. Corner.

North Between Sec. 4 & 5, T9 N. R12 E.

40.00 a Gum 12 in. diam. stands for the  
quarter Sec. Corner  
79.00 Intersected the N. boundary 4 lks. E. of post  
Thin mile level, 3<sup>rd</sup> rate Land, Beech, Oak,  
Gum, Poplar (no corner established here)

T9 N. R12 E. 2<sup>nd</sup> Mer. Indiana

ch. 1/4

Nest Corrected between Sec. 8 & 17

40.00 Set g. Sec. post at average dist. from which  
a Beech 10 in. diam. bear N15 E 22 lks. dist. of  
a No. 12 " " " N45 E 22 " "

80.00 to Sec. Corner.

North Between Sec. 7 & 8, T9 N. R12 E.

40.00 Set g. Sec. post, from which  
a Hickory 10 in. diam. bear S32 E 14 lks. dist. of  
a Sugar 10 " " " N30 W 18 " "

61.09 at Beech 16 " " in the line

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which  
a Sugar 8 in. diam. bear S11 E 10 lks. dist. of  
at Beech 14 " " " N27 W 12 " "  
Beech, Sugar, Oak, Hickory &c.

Nest Between Sec. 6 & 7, T9 N. R12 E.

40.00 a Black Oak 6 in. diam. stands for the  
quarter Sec. Corner

56.50 Intersected the W. boundary at the post  
This mile land broken 3<sup>rd</sup> rate, Oak, Beech &c

East On Random between Sec. 5 & 8

40.00 Set temp. g. Sec. post

79.29 Intersected the N. & S. line 100 lks. S. of post  
This mile level 3<sup>rd</sup> rate, Beech, Oak, Gum &c.

Nest Corrected between Sec. 5 & 8

39.64 Set g. Sec. post at average dist. from which  
a Beech 14 in. diam. bear North 8 lks. dist. of  
a B. Oak 8 " " " South 8 " "

79.29 to Sec. Corner.

North Between Sec. 5 & 6, T9 N. R12 E.

40.00 Set g. Sec. post, from which

a W. Oak 8 in. diam. bear N22 E 19 lks. dist. of



Sg. N. R 12 E. 2<sup>nd</sup> Mer. Indiana  
ch. 2 lks.

no other bearing trees

81.25 Intersected the N. boundary 40 lks. E. of the  
post 1st post cor. to Sec. 8 & 6, from which  
a W. Oak 12 in. diam. bears N 34 E 20 lks. dist. of  
a Beech 14 " " " N 15 W 30 " "  
This mile some broken 3<sup>rd</sup> rate timber Beech,  
Oak, Poplar, Gum &c.

January 8<sup>th</sup> 1807

Stephen Sudlow  
Deputy Surveyor

Comp<sup>d</sup>

I Certify that the foregoing transcript of field notes  
of Township N. 9 North, of Range N. 12 East 2<sup>nd</sup>  
Principal Meridian Indiana, has been compared  
with the original field notes on file in this Office,  
and found to be correct.  
Surveyor General's Office  
Cincinnati, March 14, 1845

William Johnston  
Sur. General